

Compiling PARI from the GIT repository

B. Allombert and K. Belabas

IMB
CNRS/Université de Bordeaux

01/06/2022



Introduction

This talk focuses on the current development version of the PARI library (2.14.*), available from our GIT repository, see

<https://pari.math.u-bordeaux.fr/anongit.html>

The text of this talk is available in the files `sources.*` in

[https://pari.math.u-bordeaux.fr/Events/
COGENT2022/talks/](https://pari.math.u-bordeaux.fr/Events/COGENT2022/talks/)

Windows users

Download a precompiled 64bit installer

`Pari64-2-14-0.G2022.exe` or 32bit binary

`Pari32-2-14-0.G2022.exe` from

<https://pari.math.u-bordeaux.fr/pub/pari/windows/snapshots>

Also available are precompiled 64bit binary

`gp64-gmp-git*.exe` or 32bit binary `gp32-gmp-git*.exe`.

Or you can use the "Windows subsystem for Linux", see

<https://pari.math.u-bordeaux.fr/PDF/PARiwithWindows.pdf>

Mac OS users

Download a precompiled DMG

`PariGP-full-2.14.0.G2022.dmg`.

`https://pari.math.u-bordeaux.fr/pub/pari/mac/snapshots`

on some system, you need to go to the file menu and select open, so that you can bypass the security check.

Also are precompiled binary `gp-git*-osx`.

Linux

To install all the packages required to build pari from source:

Debian/Ubuntu

```
sudo apt-get build-dep pari
sudo apt-get install libreadline-dev libgmp-dev
```

Fedora

```
sudo dnf install readline-devel gmp-devel
```

If you want to use git, also do

Debian/Ubuntu

```
sudo apt-get install git bison automake autoconf
```

Fedora

```
sudo dnf install git bison automake autoconf
```

From source with GIT

Clone the PARI repository with GIT (~ 150MB).

```
git clone https://pari.math.u-bordeaux.fr/git/pari.git
cd pari
```

From source without GIT

Download `pari-2.14.0.G2022.tar.gz` from

`https://pari.math.u-bordeaux.fr/pub/pari/snapshots`

and unpack it

```
tar xf pari-2.14*.tar.gz
cd pari-2.14*
```

PARI compilation

```
./Configure --prefix=GPDIR --mt=pthread
make -j4 gp
make doc
make statest-all
make install
make install-bin-sta
./Configure --prefix=GPDIR.dbg -g
make -j4 gp.dbg
make install -C Olinux-x86_64.dbg
GPDIR/bin/gp
```


Optional PARI packages

To install optional PARI packages from

<https://pari.math.u-bordeaux.fr/packages.html>

```
wget https://pari.math.u-bordeaux.fr/\
pub/pari/packages/galdata.tgz
```

```
tar xf galdata.tgz
```

```
wget https://pari.math.u-bordeaux.fr/\
pub/pari/packages/elldata.tgz
```

```
tar xf elldata.tgz
```

```
wget https://pari.math.u-bordeaux.fr/\
pub/pari/packages/galpol.tgz
```

```
tar xf galpol.tgz
```

```
wget https://pari.math.u-bordeaux.fr/\
pub/pari/packages/seadata.tgz
```

```
tar xf seadata.tgz
```

Optional PARI packages

```
wget https://pari.math.u-bordeaux.fr/\
pub/pari/packages/nflistdata.tgz
tar xf nflistdata.tgz
make install-data
```

GP configuration

Create and customize `~/.gprc`. Add

```
histfile = "~/.gp_history"
colors = "lightbg" \\ or "darkbg"
lines = 40
parisizemax = 4G \\ or the maximum amount of memory
                \\ GP can use (important)
threadsizemax = 1G
read "~/.gprc.gp"
```

Create an empty file `~/.gprc.gp`